

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF  
NEVADA**

Date of filing in State Engineer's Office NOV 19, 1997Returned to applicant for correction Corrected application filed Map filed SEP 12, 1989 under 53846

\*\*\*\*\*

The applicant **Pamela K. and Marc Studer**, hereby makes application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is an underground source.
2. The amount of water applied for is .046 second-feet
  - (a) If stored in reservoir give number of acre-feet N/A
3. The water to be used for quasi-municipal purposes
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated N/A
  - (b) Stockwater, state number and kinds of animals to be watered N/A
  - (c) Other use (describe fully under No. 12. "Remarks") see item No. 12
  - (d) Power:
    - (1) Horsepower developed N/A
    - (2) Point of return of water to stream N/A
5. The water is to be diverted from its source at the following point within the Southwest quarter (SW1/4) of the Northwest quarter (NW1/4) of Section 13, T19S, R60E, MDBM, from which the West quarter (W1/4) corner of said Section 13 bears South 33° 03' 17" West a distance of 1243 feet.
6. Place of Use North half (N1/2) of the Northeast quarter (NE1/4) of the Southwest quarter (SW1/4) of the Northwest quarter (NW1/4) of Section 13, T19S, R60E, MDBM.
7. Use will begin about January 1st. and end about December 31st., of each year.
8. Description of proposed works Install 8" steel cased well. 5hp submersible pump, wiring, storage tank, pressure tank, booster pump, meter and appurtenances.
9. Estimated cost of works 18,000
10. Estimated time required to construct works has been completed.
11. Estimated time required to complete the application of water to beneficial use has been completed.
12. Remarks: Well to service 7 houses. The map is filed under cancelled Permit 53846.

By Pamela K. Studer  
s/ Pamela K. Studer  
7791 Cowboy Trail  
Las Vegas, Nv 89131

63573

Compared gkl/bk jr/cms

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 63212 and 63573 shall not exceed 2.92 million gallons annually.

Permit 63573 is issued to provide water service to seven homes on lots described by Assessor Parcel Numbers (APN's) 125-13-202-001, 125-13-202-002, 125-13-202-003, 125-13-202-004, 125-13-202-005, 125-13-202-006, and 125-13-202-007.

This permit is issued subject to the State Engineer's Amended Order 1054, dated April 15, 1992.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.046 cubic feet per second, but not to exceed 2.555 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 23, 1998

Proof of completion of work shall be filed before:

January 23, 1999

Application of water to beneficial use shall be filed on or before:

December 23, 2000


Proof of the application of water to beneficial use shall be filed on or before:

January 23, 2001

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,  
State Engineer of Nevada, have hereunto set  
my hand and the seal of my office,  
this 5th day of June, A.D. 1998

  
\_\_\_\_\_  
State Engineer

Completion of work filed

SEP 20 1999

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_

Issued \_\_\_\_\_